

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

US

(51) International Patent Classification 7:

A61K 39/00, 39/02, 39/04, 38/00, C07H
21/02, 21/04, C07K 1/00, C12P 21/06,
C12N 1/00, 1/12

(11) International Publication Number: WO 00/66157

(43) International Publication Date: 9 November 2000 (09.11.00)

(21) International Application Number: PCT/US00/12257
(22) International Filing Date: 4 May 2000 (04.05.00)

4 May 1999 (04.05.99)

(63) Related by Continuation (CON) or Continuation-in-Part
(CIP) to Earlier Application

US Filed on

(30) Priority Data: 60/132,505

60/132,505 (CON) 4 May 1999 (04.05.99)

(71) Applicant (for all designated States except US): THE PUBLIC
HEALTH RESEARCH INSTITUTE OF THE CITY OF
NEW York, INC. [US/US]; 455 First Avenue, New York,
NY 10016 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): GENNARO, Maria, L. [-/-];

(74) Agent: HONE, William, J.; Fish & Richardson P.C., 45
Rockefeller Plaza, Suite 2800, New York, NY 10111 (US).

(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: PROTEINS EXPRESSED BY MYCOBACTERIUM TUBERCULOSIS AND NOT BY BCG AND THEIR USE AS DIAGNOS-TIC REAGENTS AND VACCINES

(57) Abstract

The invention provides polypeptides encoded by open reading frames present in the genome of *Mycobacterium tuberculosis* but absent from the genome of BCG and diagnostic and prophylactic methodologies using these polypeptides.